

## DIESEL PORTABLE SCREW AIR COMPRESSOR



Model	Air Delivery m <sup>3</sup> /min	Working Pressure bar	Fuel Tank Capacity L	Connection Diameter in	Engine Model	Manufacture	Engine Power kw	Rotation Speed rpm	Accumulator Voltage V	Dimension (L*W*H) mm	Weight Kg
EL135	3.6	7	48	2*G3/4	YSD490	YTO	33	2400	24	2910*1526*1430	950
EL185	5.2	7	85	G3/4, G 1 1/4	Y1400G	YTO	42	2200	24	3315*1607*1583	1200
EL265	7	7	85	G3/4, G 1 1/4	Y4102ZG	YTO	55	2200	24	3315*1607*1583	1350
EL300	8.5	14	120	G1, G1 1/2	6BTA5.9	Cummins	97	2000	24	3900*1980*1950	2000
EL400	11	13	210	G1, G1 1/2	6BTA5.9	Cummins	110	2200	24	4200*1520*2268	2300
EL460	13	13	300	G1, G1 1/2	6BTA5.9	Cummins	132	2200	24	4300*1300*1950	2500
EL550	15	13	320	G1, G1 1/2	6BTA5.9	Cummins	132	2500	24	4500*1400*1950	2600
EL600	17	14	360	G1, G1 1/2	6BTA8.3	Cummins	179	1800	24	5200*1960*2300	2800
EL700	18	17	360	G1 1/2, G2	6BTA8.3	Cummins	194	1800	24	5200*1960*2300	2800
EL750	21.2	14	380	G1 1/2, G2	6BTA8.9	Cummins	239	1800	24	5200*2060*2480	5600
	21.2	20	380	G1 1/2, G2	6BTA8.9	Cummins	260	1800	24	5200*2060*2480	6200
EL900	23.3	14	410	G1 1/2, G2	6BTA8.9	Cummins	239	2100	24	5200*2060*2480	5800
EL1070	30	24	480	2*G2 1/2	6BTA9.8	Cummins	348	1800	24	5500*2300*2500	6800